





MANEUVERABILITY — Smaller turning radius than conventional vehicles gives necessaru maneuverability



HANDLEBARS — For safer operation all hand controls are operated while both hands remain on handlebars





ELECTRIC START - Jump in Jurn the level and drive away



LEVER START — The sample to use lever start requires no buttery or starter thus minimizing down time



Wherever they go, Bajaj TriStars are known for their inexpensiveness, durability and simplicity. These three qualities make the TriStar fleet an excellent choice for solving any light load, short distance transportation problems you may have, and can save you a great deal of money in the process. Intown delivery, security patrols, trash pick-up, messenger service, maintenance — whatever your transportation needs, there's a

Bajaj vehicle to meet them.

In many countries, our vehicles are a way of life. Over one million of them are already on the road, and have covered many millions of miles on five continents over roads, tracks, deserts and rain-drenched slopes. Here's some of the reasons for their durability and dependability. Thick metal construction with reinforced welds stand up to all types of terrain. Rear mounted engines and fully independent

rear suspension systems provide greater stability and a quieter ride. Hydraulic rear brakes give sure, positive stops. And our paint means more than just beautiful color it's checked for hardness brightness, fading, gloss scratch resistance, peeling and flexibility — which means long lasting color and durability.

The Bajaj name may be new in America, but Bajaj vehicles are used extensively all over the world. And in many of those





TRUNK -- Provides ample convenient and projected slorage space



ENGINE — The efficient direct drive 10 horsepower engine gets 63 mpg* and a top speed of 35 mph



INDEPENDENT SUSPENSION — Provides stability and smooth ride Low-mounted engine also improves stability



HYDRAULIC REAR BRAKES — Combine with hand operated mechanical front brakes to provide sure positive stops

places, conditions demand that the vehicles be simple as well as tough. The TriStar fleet was designed and built with simplicity in mind. For example, the integral engine transmission and differential means fewer parts and less complexity. Direct rear wheel drive eliminates the drive shaft chains, pulleys, sprockets and minimizes power loss. Designed with accessibility in mind, the rear-mounted engine eliminates joint-weakening vibrations, ex-

cessive cabin heat and noise. A Bajaj TriStar is also easily gotten in and out of.

But best of all, a Bajaj TriStar vehicle is about half the price of similar vehicles. Modern mass production techniques — a new vehicle every four minutes — means lower per-unit cost, a savings we pass on to our customers. And thanks to the TriStar fleet's durability and simplicity, the vehicle remains inexpensive to own operate and

maintain. In addition, time saved with a TriStar translates into higher productivity and money in your pocket. Combine the features of inexpensiveness, durability and simplicity with 63 mpg.* less down time, maneuverability, a one year limited warranty.* on both parts and labor, and it's easy to see that Bajaj has the solutions to your transportation problems.

The Bajaj TriStar... endless applications.



Refuse Vehicle

This rugged off-road version of the TriStar can make your trash collection, clean-up and general maintenance a breeze. A rear-mounted 10 horsepower engine along with four forward gears and reverse make the TriStar an excellent hill climber — even when fully loaded. Comes equipped with the low-maintenance lever start. (TI-2). Trash toters are available accessories.



Vending Vehicle

Here the novelty of a Bajaj TriStar vehicle translates into increased visibility and higher profits for you. This three-wheel restaurant has a low set-up cost and virtually no overhead. Available with mechanical refrigeration/freezer unit (no dry ice needed), hot and cold running water steam table/display umbrella and custom decals. Choose only the options you need! Available with electric start (TS-4) or lever start (TE-3)



Golf Course Vehicle

This may be the lowest priced TriStar, but it's just as tough as the rest of the fleet. Because this off-road vehicle is so simple to own, operate and maintain, it's excellent for turf maintenance and inspection. Standard turf tires give the added traction needed without ruining fairways. Independent suspension makes the ride stable and smooth no matter how hilly the terrain. Comes with lever start and windshield (TL-1).



Police Vehicle

The maneuverability and tight turning circle of the TriStar make it ideal for police and security uses. Standard side curtains make it easy to get in and out of, yet keep officers dry in wet weather. With a maximum speed of 35 mph, the IriStar gets your officer there in a hurry. This rugged vehicle comes equipped with roof-mounted strobe light and custom paint job. Available with electric start (PS-4) or lever start (PI-3)



Industrial Vehicle

Maneuverability and efficiency make the TriStar perfect for industrial maintenance and running about. The tight turning radius makes it easy to negotiate narrow aisles. Simplicity durability and serviceability add up to increased savings and decreased down time. The on-road model comes with electric start (TS-4) or lever start (TI-3). The off-road model comes with lever start (TL-2)



Messenger or Delivery Vehicle

At two cents a mile, you can deliver plenty of flowers, pizzas, messages — whatever — with a TriStar And with more than 12 cubic feet of cargo space, many stops can be made in one trip. This combination makes it the perfect vehicle for economical delivery and messenger needs. Available in either electric start (TS-4) or lever start (TL-3) Optional van top is available.

The Bajaj AutoRiksha









Few can resist the flair of the Bajaj AutoRiksha.

Cab drivers around the world use the AutoRiksha as an inexpensive and practical way to taxi patrons comfortably around town Condominium owners and real estate agents use the AutoRiksha when showing property to prospective buyers. Resort areas rent or lease the AutoRiksha to vacationers so they can ride to the pool, golf course or tennis courts. Employers use the AutoRiksha to safely transport their employees through parking lots after nightfall Families use the AutoRiksha as a third car for quick trips to the grocery store or to drop children off at school, ice cream vendors know the unique personality of the AutoRiksha draws customers. And movie makers have taken advantage of the AutoRiksha's charm on

hilm all over the world. Everyone loves the exceptional personality of this vehicle — it just naturally brings a smile with it

But the AutoRiksha is more than just a charming novelty. It seats three people and has the same engine, frame and rugged durability found in the TriStar fleet. It delivers a very practical 63 mpg with a top speed of 35 mph. The 10 horsepower direct drive engine is mounted in the rear for a quiet stable ride. A fully independent rear suspension system with hydraulic shock absorbers and coaxial springs provides stability and a soft, comfortable ride for your passengers in addition, the AutoRiksha can be easily modified so that all the controls can be operated from the handlebars. making it the perfect vehicle for the paraplegic. And like all the

rest of the Bajaj vehicles, the AutoRiksha is simple and inexpensive to operate and maintain

It is that simplicity and inexpensiveness, along with charm and durability that combine to make the AutoRiksha the most economical practical and enjoyable answer to a wide range of transportation problems. Its tight turning radius, maneuverability and comfort also make it great for local paper delivery systems, recreational and maintenance uses in resort areas convenient taxi services, or just simple transport of your most valuable cargo - passengers For business or pleasure the AutoRiksha gets you there with

The AutoRiksha is available with either electric start (RS-4) or lever start (RE-3)

Specifications

The content of the	10 mm 10 km (2/h25 mm) 10 km (2/h25 mm) 10 km (2/h25 mm) 5 km (2/h25 mm) 5 km (2/h25 km) 10 km) 10 km (2/h25 km) 10 km)
Dimensions	with electric start of the control o
March Marc	waiet ones of 4" (1710 mm) Is men 1010" (2625 mm) owne 515" (1840 mm) bible Not Applicable blot Applicable Not Applicable Not Applicable Not Applicable
Dimension Dime	10 mm 10 km (2/h25 mm) 10 km (2/h25 mm) 10 km (2/h25 mm) 5 km (2/h25 mm) 5 km (2/h25 km) 10 km) 10 km (2/h25 km) 10 km)
Overall Inegin 40 % 1051 mm1 65 07 (1650 m	10 mm 10 km (2/h25 mm) 10 km (2/h25 mm) 10 km (2/h25 mm) 5 km (2/h25 mm) 5 km (2/h25 km) 10 km) 10 km (2/h25 km) 10 km)
Overall length 100.7° (2710 mml) 100.7°	10 mm 10 km (2/h25 mm) 10 km (2/h25 mm) 10 km (2/h25 mm) 5 km (2/h25 mm) 5 km (2/h25 km) 10 km) 10 km (2/h25 km) 10 km)
Overall works 100 cm 100	mmi 5.1.5° (1340 mmi able Not Applicable able Not Applicable able Not Applicable Not Applicable
Octob Control Space Cont	hote Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Cargo Space	hot Applicable Not Applicable ble Not Applicable
Calgo Space Color Consorti Color Color Consorti Color Color Color Color Color Co	Not Applicable sible Nut Applicable
Truck Apole	able Nuc Applicable
Trush Space 4.7 hr	
Wheel Tack 45-12 (1150 mm) 45-32 (1150 mm) 45-	
Ta 2* (2003 mm) Ta 2* (2003 mm	mm) 45 ft 11150 mm)
B 1954 Street (4.3 x \$5000 1000)	7.6.75 spices mmg
Summa Parker 113.4" (2840 mm)	
Affeing Saltins 17.7 (2007 mind	
Ground Clearance 71" (IAO min)	om) 7.1° r180 pomi
Weight Empty eco (bs. 1273 kgs. 200 (bs. 1316 kgs.	11 kgu - 710 lbs 1117 kgu
Louded 1600 Brs 1035 Agai 1030 Brs 1035 Agai 1400 Brs 1035 Agai 1400 Brs 1055 Agai 1800 B	10 kgu - 1345 lbs in10 kgu
District Street Figure 1	
Peyload 890 lbs 1366 kgs. 200 lbs 1316 kgs. 200 lbs 1316 kgs. 200 lbs 1366 kgs. 256 kgs. 256 kgs. 256 kgs. 630 lbs 1266 kgs. 630 lbs 1266 kgs.	
Fire! Inh. Concer. 4.5 gals 117 literu 4.4.5 gals 117 literu 4.5 g	Biers 2 1 gals 18 liners
Brahes	
Front Hand operated enchanced brake	
Rear Foot operand Individuals brake	
Parking Wechancally activated on the year wheels	***************************************
Gradeability with 100 (box455 kgw	
gross sehkle nd	11.25
	1665
End Sear 1992	1215
3rd Econ 1512 1512	
8th goar 73% 75% 74% 74% 75% 75% 75%	7.1%
Tires 2 ph/4 ph/ sated 2 ph/s sated 2 ph/s sated 4 ph/s s	E181 & B
Wheels Heary duty steel construction	
Power Plant	Shimflet 15 mph (55 km hrt
Power Plant Max Speed (15 mph 155 km hr) 15 mph 156 km hr) 16 mph 166 km hr) 16 mph	Shimfler 35 mph (55 km hrs
Power Plant Was Speed 25 eph (55 limbr) 35 mph (55 dm hr) 45 mph (55 dm hr) 45 mph (55 limbr) 45 mph	S km has a S might (SS km has a km has and might (A f million a f million by the first fir
Power Plant	S km has a S might (SS km has a km has and might (A f million a f million by the first fir
Power Plant	S km has a S might (SS km has a km has and might (A f million a f million by the first fir
Power Plant Was Speed 43 mph (55 km hr) 33 mph (45 4m hr) 45 mph (35 km hr) 43 mph	S km has a S might (SS km has a km has and might (A f million a f million by the first fir
Power Plant Was Speed 43 mph (55 km hr) 33 mph (45 4m hr) 35 mph (35 km hr) 35 mph (35 km hr) 45 mph (35 km hr) 41 km hr) 41 mph (35 km hr) 41 km hr) 41 mph (35 km hr) 41 mp	S lamber 135 km her d km her of mog rad fumfer of mog rad fumfer drawn by hattery generative
Power Plant Was Speed 25 eph i55 lambit; 35 mph i55 4m hir; 15 mph i55 km hir; 35 mph i55 km hir; 36 mpg i26 km hir; 31 mph i55 km hir; 31 mph i5	S limber 135 km her 8 km her 8 km her 146 km
Power Plant Was Speed 43 mph (55 km/hr) 33 mph (65 km/hr) 15 mph (155 km/hr) 33 mph (155 km/hr) 15 mph (155	S limber 135 km her 8 km her 8 km her 146 km
Power Plant Max Speed 43 epch (55 kmhr) 35 mph (55 km hr) 55 mph (55 km hr) 61 mpc (26 km hr) 61 mpc (S lamber 33 mgh (35 km her 8 km her) all meg (24 f m her) all other and meg (24 f m her) all other and meg (25 f m her) all other and
Peer Plant Max Speed 45 mph x55 kmhm 35 mph 455 km hm 15 mph 155 km hm 155 155 km h	S lamber 33 mgh (33 km her 8 km her) all men (24 fm/fm) all men (24 fm/fm) and men (24 fm/fm) and the second secon
Power Plant Max Speed 23 mph 455 lamber 35 mph 455 4m ber 15 mph 4	S lamber 33 mgh (33 km her 8 km her) all men (24 fm/fm) all men (24 fm/fm) and men (24 fm/fm) and the second secon

the lace as var as a leg to use of set at le

The get of the date of the control o

Bajaj-the factory









The TriStar fleet and the AutoRiksha are manufactured by Bajaj, one of the largest producers of three wheel vehicles In the world. Bajai may be a new name in America but with over one million vehicles already on the road it's a way of life in much of the eastern world. We use materials and sophisticated machines from all over the world but our main lacilities are in India the world's tenth largest industrial nation. With the third largest number of engineers. some of the world's best high technology is produced in India for space and aeronautics, reactors diesel engines and so on Infact 25 percent of the engineers in America today are Indian.

The factory itself covers over 160 acres, employs over 10,000

workers and turns out a new vehicle every four minutes. The factory has been manufacturing vehicles for over 24 years, and has put over one million vehicles on the road already. Production this year alone will be over 300,000 vehicles.

Bajaj is lamous for its advanced technology, automated production and assembly lines and total dedication to quality control Critical components are tooled on hundreds of highly sophisticated machines and computer checked for correct tolerances. Some engine tolerances are checked only in air conditioned rooms because varying temperatures on the shop floor can cause a difference of up to two microns.

Not only will you get an inexpensive dependable vehicle from Bajaj, but we back up our fleet with a one year limited warranty on both parts and labor. Stringent quality control automation durability and 24 years of experience give Bajaj the highest quality at the lowest price

BAJAJ AMERICA, INC

1237 Gadsden St. Columbia, S.C. 29201 (803) 779-5361